

LAZER

H I G H P E R F O R M A N C E L I G H T I N G



MITSUBISHI L200 (S6) LINEAR-18 INSTALL

FITTING INSTRUCTIONS

ANLEITUNG

INSTRUCTIONS

INSTRUCCIONES


TECHNICAL SUPPORT

aaron@lazerlamps.com / sales@lazerlamps.com
+44 (0)1992 945601 / +44 (0)1992 677374

WHAT'S REQUIRED

- 1x LINEAR-18
- 1x ONE LAMP HARNESS KIT
- 1x MITSUBISHI L200 (S6) MOUNTING KIT


DIFFICULTY LEVEL



TOOLS REQUIRED



DRILL BIT
3.5MM



METRIC
SOCKET SET



WIRE STRIPPERS
AND RATCHET CRIMPERS



WIRE CUTTERS




ALLEN KEY
SIZE: 4



PHILLIPS / T-25 TORX
SCREWDRIVER



PLASTIC
TRIM TOOLS

INSTALL INSTRUCTIONS**STEP 1**

Remove both earth and live wires from the battery.

**STEP 2**

Disconnect the left hand headlight plug.

**STEP 3**


Locate the light green wire in the headlight plug and cut the wire.

**STEP 4**


Strip both ends for crimp connector.

**STEP 5**


Twist the red switch wire from the lazer wiring kit to one side of the light green wire.



STEP 6



Crimp the twisted green/red wires to the single green wire using the heat-shrink butt connectors that is supplied.



STEP 7

Apply heat to the heat-shrink butt connector to create a watertight seal.




STEP 8




Drill a hole above the fuse box to mount the relay from the wiring harness.

Then screw the relay in place.



STEP 9

Connect the live and earth feed from the wiring harness to battery.




STEP 10

Remove the 11 clips holding on the slam panel trim.

**STEP 11**

Remove slam panel cover.

**STEP 12**

Attach the Side Brackets included to the lamp and Licence Plate Mount shown above using the supplied M6 bolts, washers and nuts.

**STEP 13**

Align the light to the centre of the licence plate holder as shown.

**STEP 14**

Screw the brackets into the licence plate holder using the included self-tapping screws from the licence plate mounting kit.

**STEP 15**

Plug light into wiring kit and secure left over wiring under slam panel.

INSTALLATION CHECKS

1. Ensure battery is re-connected properly.
2. Test light bar is working fully before re-assembling vehicle.



LAZER

H I G H P E R F O R M A N C E L I G H T I N G

Thank you for choosing a Lazer Lamps product.

Vielen Dank dafür, dass Sie sich für ein Produkt von Lazer Lamps entschieden haben.

Merci pour choisir un produit de Lazer Lamps.

Gracias por la seleccion de productos de Lazer Lamps.